Standard Data Interchange Format

Ver. 3.0 (official)

April 28, 1998

United States Swimming Interchange Format VERSION 3 DOCUMENT

Table of Contents

Introduction	1
Format Design	2
Meet Pyramid	5
Record Times Pyramid	7
Time Standards Pyramid	7
LSC Registration Pyramid	8
A0 File Description Record	9
B1 Meet Record	0
B2 Meet Host Record	1
C1 Team Id Record	2
C2 Team Entry Record	. 3
DO Individual Event Record	4
D1 Individual Administrative Record	7
D2 Individual Contact Record	9
D3 Individual Info Record	1
E0 Relay Event Record	2
FO Relay Name Record	4
GO Splits Record	6

United States Swimming Interchange Format VERSION 3 DOCUMENT

Table of Contents (continued)

JO Meet Qualifying Times Record
J1 National Age Group Times Record
J2 USS Motivational Times Record
ZO File Terminator Record
Code Tables 33 ORG Code 001 33 LSC Code 002 33 FILE Code 003 34 COUNTRY Code 004 34 MEET Code 005 36 TEAM Code 006 37 REGION Code 007 37 USS# Code 008 37 CITIZEN Code 009 37 SEX Code 010 37 EVENT SEX Code 011 37 STROKE Code 012 37 COURSE Code 013 38 EVENT TIME CLASS Code 014 38 SPLIT Code 015 38
SPLIT Code 015 38 ATTACH Code 016 38 ZONE Code 017 38 COLOR Code 018 39 PRELIMS/FINALS Code 019 39 TIME Code 020 39 MEMBER Code 021 39 SEASON Code 022 39 ORDER Code 024 39 EVENT AGE Code 025 40 ETHNICITY Code 026 40 Coding Examples 41

Revisions List

- 1. Page 2, Revise definition of mandatory fields.
- Remove all vendor-defined fields. The resulting space will be for future use.
- Remove all "checksum" fields. The resulting space will be for future use.
- 4. Add field to AO record (156/2) "submitted by LSC" for Top 16 tabulation.
- 5. Page 19, D0 Record, "EVENT SEX Code 011" (67/1) make mandatory.
- 6. Top 16 Pyramid(only) allow multiple meets.
- 7. Page 3, Revise phone number formatting restrictions.
- 8. Page 3, Revise Time field format # 3.
- 9. Remove H0 record.
- 10. Page 3, Revise Name field format.
- 11. Remove "Transaction" field from all records.

 The resulting space will be for future use.
- 12. Page 10, B1 change "meet city" & "meet state" to M2.
- 13. Page 13, C1 remove mandatory on "Region Code".
- 14. Change each occurrence of "USS or other ID" to "USS#" and make M2.
- 15. Remove any occurrence of "unique Event ID#". The resulting space will be for future use.
- 16. Convert "admin info" fields in D1 to future use.
- 17. Convert "middle initial" in D1 to future use.
- 18. Remove "ANSWER Code 023" in all records, make future use.
- 19. Change to M1: "meet name", "meet start" in B1. "TEAM code" "full team name" in C1.
- 21. Convert "flight status" in D0 to future use.
- 22. Prelims & finals place and points are to be M1 for championship meets.

- 1. Added a new record (D3) that includes the new USS# and swimmer's preferred first name.
- 2. Revised pyramids to include the D3 record.
- 3. Added field for SDIF version number to the A0 record at 4/8.
- 4. Added definition of new USS# in the format design section.
- 5. Added condition (#) to the D0 record to allow entry of relay only swimmers.
- Added definition for file extension (SD3) on page 2 under format design.
- 7. Added fields for the submission of registration information to the D3 record.
- 8. Added the definition of ETHNICITY Code 026.
- 9. Added and defined a LOGICAL field type.
- 10. Revised definition of Alpha data type to allow right justification of numeric data.
- 11. Add back Event Numbers.
- 12. Change participation selections in the D3 record.
- 13. Implement new USS# and preferred first name in F0 instead of following F0 with a D3 record.

Introduction

United States Swimming has matured as an organization and expanded services to individuals and clubs. To support this expansion, USS has developed a computer plan. One component is a standard interchange format for technical data. Swimming data must be transmitted among the clubs, Local Swimming Committees (LSCs), and the USS headquarters office. Exchanging meet results is one example, where data from a host club is distributed to swimmers and clubs using diskettes or modems. Some LSCs are compiling swimmer statistics and would retype the data from printed sheets if electronic transmission were not available. A standard format promotes easy exchange of data and the development of new computer programs and services. The goal is to preserve the valuable efforts of our volunteers.

To develop this standard, United States Swimming established an ad-hoc committee to review existing needs and prepare a draft design. A representative from US Masters Swimming and a coach familiar with high school and college swimming requirements contributed significantly to the final design. The design is intended to allow all aquatic sports organizations to use the same standard. New records can be added, and new codes or fields can be added to existing records.

The format incorporates a modular design. Each file would combine the records into an order that corresponds to the type of data to be transmitted. Meet entry records would have a specific order. Time standards would have another order. When specific record types are not needed, those records can be omitted. Certain fields were declared to be "mandatory" for adequate identification of the data and to preserve unique identifiers.

Format Design

SDI files have a SD3 extension. Example: meetrslt.sd3.

The basic design of the USS Interchange Format is a fixed record length for all records. Data is grouped together by type of information, and records are linked to each other by common fields or by record order. The records comprise a single type of information, e.g., one record for meet host data. The file structure has an implied order of less frequent data preceding more frequent data, i.e., one meet, multiple teams, multiple athletes per team, etc.

Each record is one-hundred sixty-two (162) bytes in length, with the last two bytes a carriage return and line feed. Byte 161 is an ASCII 13 and byte 162 is an ASCII 10. Each record has a two byte record identifier.

Coding conventions

The first byte of the first record MUST be the first byte of the file, and MUST begin an AO record.

Fields which are not used should be blank filled.

"No blanks" means that there may not be ANY blanks ANYWHERE in the field; "non-blank" means that there MAY be blanks in the field, but there MUST be AT LEAST ONE non-blank character as well.

There are two levels of mandatory fields. M1 - must be included for the record to be useful. M2 - an exceptions report must be generated for records containing blank M2 fields. M2 fields are necessary for the records to be processed by USS. M1 fields require a non-blank entry.

All undefined space is named "future use" and MUST be blank until defined explicitly.

The first two bytes of a record are always CONST, and are case sensitive.

All ALPHA fields are left justified* and can contain any letters, numbers and printable symbols. Users may elect to have alphabetic data in upper and lower case or upper case only. *Alpha fields containing only numeric data should be right justified.

All INT data are stored as ASCII digits and should be right justified and blank filled.

All LOGICAL fields must contain a upper case 'T' an upper case 'F' or a blank.

DEC numeric values are also ASCII digits and are right justified and blank filled. An optional decimal may be used if fractional values occur.

PHONE fields can be formatted in any manner that maintains the integrity of the number.

All DATE fields have the format MMDDYYYY where MM is the month, DD is the day, and YYYY is the year. If a date is supplied, it must not have ANY blanks -- zero-fill each portion of the date.

CODE fields must match EXACTLY when "table checked", and ARE case sensitive. The user should request new codes if required. The term "table checked" refers to the tables in the back of the SDIF document, not a file supplied by U.S. Swimming.

USPS designates U.S. Postal Service state abbreviations and should be capitalized.

POSTAL CODES may be left or right justified, but should include leading zeroes where defined (for example: a Vermont ZIP code of 05452).

All TIME fields MUST match one of the following formats:

- 1) All blanks.
- 2) Have the format mm:ss.ss where mm is the minutes value and ss.ss is the seconds value to hundredths. The third byte must be a colon or a blank, and the sixth byte must be a period. If a blank appears anywhere in this format, everything to the left must also be blank.
- 3) TIME Code 020, left-justified and blank-filled.

The USSNUM format consists of: date of birth + first 3 letters of legal first name + middle initial + first 4 letters of last name. In the event that there is no middle initial or not enough letters in the first or last name to fill the field, an asterisk will be used. Special characters are removed.

Examples: Catherine A. Durance = 011553CATADURA

Cy V. Young = 091879CY*VYOUN

Thomas Chu = 020981THO*CHU*

Ty Lee = 011873TY**LEE*

Dave T. O'Neil = 030367DAVTONEI

If a time field is used, then the COURSE/STATUS code field immediately following (if present) must be entered also. When meets are timed finals only, the swim time should be entered in the Finals Time field.

A NAME type must be in the following format: last name followed by a comma and a space, followed by first name and an optional space and middle initial. Example: O'Neil, John Q

Meet Pyramid

A0-File description rec first record in file, contains data on the file itself and identifies the vendor software.

B1-Meet rec one per file, contains data on type of meet, location, dates of competition.

B2-Meet host rec one or more per meet, contains meet host contact information

C1-Team ID rec one per team, contains data on team name, code, address.

C2-Team entry rec one per team, contains coach info plus stats on other records to follow for that team.

D0-Ind. event rec one per splash, contains data on athlete, event, stroke and distance, times, places and lanes.

D3-Ind. Info rec one per swimmer, a swimmer with multiple D0 records will have one D3 record following his/her first D0 record, contains new USS# and preferred first name.

GO-Split rec one or more per "DO", contains data on athlete name, ID, event ID, split time and interval.

E0-Relay event rec one per relay entry, contains data on relay event, team, times, places and lanes.

F0-Relay name rec four or more per "E0", contains data on the athlete name, ID, time, split, and session.

GO-Split rec one or more per "EO"

Z0-File terminator rec one per file, contains statistics and text information.

At each indented level, the file may have multiple entries to transmit the data in a logical sequence. The order of the records may vary depending on the user's needs. Some records have limited data within the record, such as one submitted for meet entry. The same record would have more data added as the swimmer completes the event. New records would be added such as split records. Relay name records could be edited for a revised order of swimmers.

!!! SDIF VERSION 3 DOCUMENT !!!
Record Times Pyramid

To transmit Top 16 or other record times, the user may submit an AO record, one or more DO records, and a ZO record. The DO records may be followed by GO split records if needed. For Top 16 only, multiple meets are allowed.

A0-File description rec first record in file, contains data on the file itself and identifies the vendor software.

D0-Individual Event Rec one per time achieved, contains swimmer ID, team, prelims/finals times.

D3-Individual Info Rec $\,$ one per time achieved, contains $\,$ new USS# and preferred first name.

GO-Split rec one or more per "DO", contains data on athlete name, ID, event ID, split time and interval.

Time Standards Pyramid

To transmit time standards, the user may submit an A0 record, one or more J0, J1, or J2 records, and a Z0 record.

A0-File description rec first record in file, contains data on the file itself and identifies the vendor software.

J0-Meet Qual rec one per event, contains times for all pool types.

J1-NAG Qual rec one per event and pool type, contains times for all levels
AAAA through B.

J2-Motivation Qual rec one per event and level, contains times for SCY and LCM.

Z0-File terminator rec one per file, contains statistics and text information.

!!! SDIF VERSION 3 DOCUMENT !!!

LSC Registration Pyramid

To transmit membership registration data to the LSC, the user may submit an A0 record, one C1 record, one D1 and one D2 record per swimmer, and a $\rm Z0\ record$.

A0-File description rec first record in file,

contains data on the file itself and identifies the

vendor software.

C1-TeamID rec one per file, contains

data on team name, code,

address.

D1-Individ. Admin. rec one per swimmer, contains

swimmer info

D2-Individ. Contact rec one per swimmer, contains

remaining swimmer info

D3-Individ. Info rec one per swimmer, contains

new USS# and preferred first

name.

Z0-File terminator rec one per file, contains

statistics and text

information.

A0 -- File Description Record

Purpose: Identify the file and the type of data to be transmitted. Contact person and phone number included to assist with use of information on the file.

This record is mandatory for each transfer of data within this file structure. Each file begins with this record and each file has only one record of this type.

start/			
· ·	Mand	Type	Description
1/2	M1*	CONST	"A0"
3/1	M2*	CODE	ORG Code 001, table checked
4/8			SDIF version number (same format as the ion number from the title page)
12/2	M1*	CODE	FILE Code 003, table checked
14/30			future use
44/20	*	ALPHA	software name
64/10	*	ALPHA	software version
74/20	M1*		contact name (person supplying or ing data)
94/12	M1*		contact phone (area code and phone er of contact name in 74/20)
106/8	M1*	DATE	file creation or update
114/42			future use
156/2		ALPHA	submitted by LSC - for Top 16
158/3			future use

 $^{^{\}star}$ required field for submission of registration data to LSC

B1 -- Meet Record

Purpose: Identify the meet name, address, and dates.

This record is used to identify the meet name and address. The meet name is required, plus the city, state, meet type, start and end dates. Additional fields provide for the street address, postal code and country code. Each file may only have one record of this type.

start/ length	Mand	Туре	Description
1/2	M1	CONST	
3/1	M2	CODE	ORG Code 001, table checked
4/8			future use
12/30	M1	ALPHA	meet name
42/22		ALPHA	meet address line one
64/22		ALPHA	meet address line two
86/20	M2	ALPHA	meet city
106/2	M2	USPS	meet state
108/10		ALPHA	Postal Code, meet zip or foreign code
118/3		CODE	COUNTRY Code 004, table checked
121/1	M2	CODE	MEET Code 005, table checked
122/8	M1	DATE	meet start
130/8	M2	DATE	meet end
138/4		INT	altitude of pool in feet above sea level
142/8			future use
150/1		CODE cour	COURSE Code 013, table checked, default se set up in exporting software
151/10			future use

!!! SDIF VERSION 3 DOCUMENT !!!

B2 -- Meet Host Record

Purpose: Identify the meet host or hosts, and host address.

This record is used to identify the meet host or hosts and the host address. The meet host name is required. Additional fields provide for the street address, city, state, postal code, country code and phone number.

start/ length	Mand	Type	Description
1/2	M1	CONST	"B2"
3/1	M2	CODE	ORG Code 001, table checked
4/8			future use
12/30	M2	ALPHA	meet host name
42/22		ALPHA	meet address line one
64/22		ALPHA	meet address line two
86/20		ALPHA	meet city
106/2		USPS	meet state
108/10		ALPHA	Postal Code, meet zip or foreign code
118/3		CODE	COUNTRY Code 004, table checked
121/12		PHONE	meet host phone
133/28			future use

C1 -- Team Id Record

Purpose: Identify the team name, code and address. Region code defines USS region for team.

This record is used to identify the team name, team code, plus region. When used, more than one team record can be transmitted for a single meet. The team name, USS team code and team abbreviation are required. The USS region code is also required. Additional fields provide for the street address, city, state, postal code, and country code.

start/ length	Mand	Туре	Description
1/2	M1	CONST	"C1"
3/1	M2	CODE	ORG Code 001, table checked
4/8			future use
12/6	M1	CODE	TEAM Code 006
18/30	M1	ALPHA	full team name
48/16		ALPHA	abbreviated team name
64/22		ALPHA	team address line one
86/22		ALPHA	team address line two
108/20		ALPHA	team city
128/2		USPS	team state
130/10		ALPHA	Postal Code, team zip or foreign code
140/3		CODE	COUNTRY Code 004, table checked
143/1		CODE	REGION Code 007, table checked
144/6			future use
150/1		ALPHA	optional 5th char of team code
151/10			future use

C2 -- Team Entry Record

Purpose: Identify the team coach and the number of entries for the team.

This record is used to identify the team coach. When used, one team entry record would be submitted with the C1 team ID record. The USS team code and team coach field are required. Additional fields provide for the number of individual swimmers, number of splash records, number of relay entries, number of relay name entries and number of split records.

start/			
length	Mand 	Type 	Description
1/2	M1	CONST	"C2"
3/1	M2	CODE	ORG Code 001, table checked
4/8			future use
12/6	M2	CODE	TEAM Code 006
18/30	M2	ALPHA	coach name
48/12		PHONE	coach phone
60/6			number of entries (from this team) in the vidual events, corresponds to number of ecords
66/6		INT	number of different athletes on team
72/5		INT rela reco	number of entries (from this team) in the y events, corresponds to number of E0 rds
77/6		INT team	number of relay swimmer entries (from this), corresponds to number of FO records
83/6			number of split records (from this team) elay and individual events, corresponds umber of GO records
89/16		ALPHA	short team name for display purposes
105/45			future use
150/1		ALPHA	optional 5th char of team code
151/10			future use

D0 -- Individual Event Record

Purpose: Identify the athlete by name, registration number, birth date and gender. Identify the stroke, distance, event number and time of the swims.

This record is used to identify the athlete and the individual event. When used, one individual event record would be submitted for each swimmer entered in an individual event. The athlete name, USS registration number, birth date and gender code are required. Fields for the stroke, distance, event number, age range, and date of swim are also required. Additional fields provide for the citizenship, age or class, seed time, prelim time, swim off time, finals time and pool lanes used in competition.

NOTE: Individual event records must be preceded by at least one C1 team ID record and one C2 team entry record. If these two records are missing, the individual is assumed to be attached to the previous "team" that has proper coding. Athlete registration data is not available to meet management programs and proper coding is essential.

start/ length	Mand	Туре	Description
1/2	M1	CONST	
3/1	M2	CODE	ORG Code 001, table checked
4/8			future use
12/28	M1	NAME	swimmer name
40/12	M2	ALPHA	USS#
52/1		CODE	ATTACH Code 016, table checked
53/3		CODE	CITIZEN Code 009, table checked
56/8	M2	DATE	swimmer birth date
64/2		ALPHA	swimmer age or class (such as Jr or Sr)

start/ length	Mand	Туре	Description
66/1	M1	CODE	SEX Code 010, table checked
67/1	M1#	CODE	EVENT SEX Code 011, table checked
68/4	M1#	INT	event distance
72/1	M1#	CODE	STROKE Code 012, table checked
73/4		ALPHA	Event Number
77/4	M1#	CODE	EVENT AGE Code 025, table checked
81/8	M2	DATE	date of swim
89/8		TIME	seed time
97/1	*	CODE	COURSE Code 013, table checked
98/8		TIME	prelim time
106/1	*	CODE	COURSE Code 013, table checked
107/8		TIME	swim-off time
115/1	*	CODE	COURSE Code 013, table checked
116/8		TIME	finals time
124/1	*	CODE	COURSE Code 013, table checked
125/2		INT	prelim heat number
127/2		INT	prelim lane number
129/2		INT	finals heat number
131/2		INT	finals lane number
133/3	**	INT	prelim place ranking

!!! SDIF VERSION 3 DOCUMENT !!!

start/ length	Mand	Туре	Description
136/3	**	INT	finals place ranking
139/4	**	DEC	points scored from finals
143/2		CODE	EVENT TIME CLASS Code 014, table checked
145/1		ALPHA of T	flight status of swimmer (subdivision ime Standard)
146/15			future use

- * This field is mandatory IF the immediately preceding time field is NOT blank
- ** This field is mandatory (M1) if a championship meet (MEET Code 005 6,7)
- # Event age code 025, event sex code 011, event distance, stroke code 012 and seed time are not mandatory (M1) for relay only swimmers.

Note - An additional record type will be used for open water swimming. Multiple swim offs require multiple records.

D1 -- Individual Administrative Record

Purpose: Identify the athlete by name, registration number, birth date and gender. Identify other administrative information.

This record is used to identify the athlete and his/her administrative information. When used, one individual administrative record would be submitted for each swimmer in the file. The athlete name, USS registration number, birth date and gender code are required.

start/ length	Mand	Туре	Description
1/2	M1*	CONST	"D1"
3/1	M2*	CODE	ORG Code 001, table checked
4/8			future use
12/6	*	CODE	TEAM Code 006
18/1		ALPHA	optional 5th char of team code
19/28	M1*	NAME	swimmer name
47/1			future use
48/12	M2*	ALPHA	USS#
60/1		CODE	ATTACH Code 016, table checked
61/3	*	CODE	CITIZEN Code 009, table checked
64/8	M2*	DATE	swimmer birth date
72/2		ALPHA	swimmer age or class (such as Jr or Sr)
74/1	M1*	CODE	SEX Code 010, table checked
75/30		ALPHA	first admin info field

start/ length	Mand	Туре	Description
105/20	*	of r	fourth admin info field, used in submission egistration data for old member number nits or birthdate change
125/12	*	PHONE	first phone number for swimmer
137/12		PHONE	second phone number for swimmer
149/8	*	DATE	date swimmer registered with USS
157/1	*	CODE	MEMBER Code 021, table checked
158/3			future use

 $[\]ensuremath{^{\star}}$ required field for submission of registration data to LSC

D2 -- Individual Contact Record

Purpose: Identify the athlete by name. Identify mailing and contact information.

This record is used to identify the athlete and his/her contact information. When used, one individual contact record would be submitted for each swimmer in the file. The athlete name is required.

start/ length	Mand	Type	Description
1/2	M1*	CONST	"D2"
3/1	M2*	CODE	ORG Code 001, table checked
4/8			future use
12/6	*	CODE	TEAM Code 006
18/1		ALPHA	optional 5th char of team code
19/28	M1*	NAME	swimmer name
47/30		ALPHA	alternate mailing name
77/30	*	ALPHA	mailing address (street)
107/20	*	ALPHA	mailing city
127/2	*	USPS	mailing state
129/12		ALPHA	mailing country
141/10	*	ALPHA	Postal Code, zip or foreign code
151/3		CODE	COUNTRY Code 004, table checked
154/1		CODE	REGION Code 007, table checked
155/1	*	CODE of a	ANSWER Code 023, Is swimmer also a member nother FINA federation?

start/ length	Mand	Туре	Description
156/1	*		SEASON Code 022, table checked, show which on swimmer is registered for

157/4 future use

^{*} required field for submission of registration data to LSC

D3 -- Individual Information Record

Purpose: Contains additional information that is not included in pre version 3 SDI formats.

This record provides space for the new USS# as well as the swimmers preferred first name. For meet files this record will follow the D0 record and the F0 record if relays are included. A swimmer with multiple D0 records will have one D3 record following his/her first D0 record.

	rt/ gth	Mand	Туре	Description
1/2		M1	CONST	"D3"
3/1	4	M2	USSNUM	USS# (new)
17/	15		ALPHA	preferred first name
32/	2	*	CODE	ethnicity code 026
34/	1	*	LOGICAL	Junior High School
35/	1	*	LOGICAL	Senior High School
36/	1	*	LOGICAL	YMCA/YWCA
37/	1	*	LOGICAL	College
38/	1	*	LOGICAL	Summer Swim League
39/	1	*	LOGICAL	Masters
40/	1	*	LOGICAL	Disabled Sports Organizations
41/	1	*	LOGICAL	Water Polo
42/	1	*	LOGICAL	None
43/	118			future use

^{*} Required for submission of registration data to an LSC

E0 -- Relay Event Record

Purpose: Identify the relay team by name, USS team code, and gender. Identify the stroke, distance, event number, date and time of the swims.

This record is used to identify the team and the relay event. When used, one relay event record would be submitted for each relay squad entered in a relay event. The relay team name, USS team code, and gender code are required. Fields for the stroke, distance, event number, age range, and date of swim, are also required. Additional fields provide for the age or class, seed time, prelim time, swim off time, finals time, and pool lanes used in competition.

start/			
length	Mand	Type	Description
1/2	M1	CONST	"E0"
3/1	M2	CODE	ORG Code 001, table checked
4/8			future use
12/1	M1	conc name	relay team name: one alpha char to atenate with the abbreviated team (48/16) in record Cl creates such s as "Dolphins A"
13/6	M1	CODE	TEAM Code 006
19/2		INT	number of FO relay name records to follow
21/1	M1	CODE	EVENT SEX Code 011, table checked
22/4	M1	INT	distance of relay
26/1	M1	CODE	STROKE Code 012, table checked
27/4		ALPHA	Event Number
31/4	M1	CODE	EVENT AGE Code 025, table checked

start/ length	Mand	Type	Description
35/3		INT	total age of all athletes in this event
38/8	M2	DATE	date of swim
46/8		TIME	seed time
54/1	*	CODE	COURSE Code 013, table checked
55/8		TIME	prelim time
63/1	*	CODE	COURSE Code 013, table checked
64/8		TIME	swim-off time
72/1	*	CODE	COURSE Code 013, table checked
73/8		TIME	finals time
81/1	*	CODE	COURSE Code 013, table checked
82/2		INT	prelim heat number
84/2		INT	prelim lane number
86/2		INT	finals heat number
88/2		INT	finals lane number
90/3	**	INT	prelim place ranking
93/3	**	INT	finals place ranking
96/4	**	DEC	points scored from finals
100/2		CODE	EVENT TIME CLASS Code 014, table checked
103/59			future use

^{*} This field is mandatory IF the immediately preceding time field is NOT blank

^{**} This field is mandatory (M1) if a championship meet (MEET Code 005 - 6.7)

FO -- Relay Name Record

Purpose: Identify the athletes on a relay team by name, USS registration number, birth date and gender.

Identify the stroke, distance, event number, date, session and time of the swims.

This record is used to identify the athletes on a relay team and the relay order. When used, one relay name record is submitted for each relay athlete entered in a relay event. Alternates may be listed on additional records as an optional method of using this record. The relay team name, USS team code, and gender code are required. The Event ID # field (12/4) is required to properly identify the relay team to an event and to further link the splits for a relay athlete. Fields for the stroke, distance, event number, age or class, and date of swim, are also required. Additional fields provide for the seed time, prelim time, swim off time, finals time, and pool lanes used in competition.

NOTE: Relay name records must be preceded by at least one E0 relay event record. If this record is missing, the athlete on a relay team cannot be attached to the proper relay squad.

start/ length	Mand	Туре	Description
1/2	M1	CONST	"F0"
3/1	M2	CODE	ORG Code 001, table checked
4/12			future use
16/6	M1	CODE	TEAM Code 006
22/1	M1#	conc reco	relay team name: one alpha char to atenate with the team abbreviation in rd Cl creates such names as phins A"
23/28	M1	NAME	swimmer name

!!! SDIF VERSION 3 DOCUMENT !!!

start/ length	Mand	Туре	Description
51/12	M2	ALPHA	USS#
63/3		CODE	CITIZEN Code 009, table checked
66/8	M2	DATE	swimmer's birth date
74/2		ALPHA	swimmer age or class (such as Jr or Sr)
76/1	M1	CODE	SEX Code 010, table checked
77/1	M1	CODE	ORDER Code 024, prelim leg, table checked
78/1	M1	CODE	ORDER Code 024, swim-off leg, table checked
79/1	M1	CODE	ORDER Code 024, finals leg, table checked
80/8		TIME	leg time
88/1	*	CODE	COURSE Code 013, table checked
89/4		DEC hund	automatic take-off time in seconds and redths (s.ss)
93/14	M2	USSNUM	USS# (new)
107/15		ALPHA	preferred first name
122/39			future use

[#] If the record is being sent for meet registration and team has not been finalized, this is NOT mandatory

^{*} This field is mandatory IF the immediately preceding time field is NOT blank

GO -- Splits Record

Purpose: Identify the athletes in an event by name and USS registration number. Identify the split distance, number of splits and the split times of the swims.

This record is used to identify the athletes in an event and the split times. When used, one splits record would be submitted for each event that an athlete entered in a meet. The athlete name, USS registration code, and split distance are required. A split type code is required to identify the split as an interval or cumulative time. Ten time fields are provided to record the splits, and multiple records may be used to complete all splits for a long-distance event.

NOTE: Splits records must be preceded by at least one DO individual event record or one FO relay name record. If this record is missing, there is no way to connect the splits with the swim.

start/ length	Mand	Type	Description
1/2	M1	CONST	"G0"
3/1	M2	CODE	ORG Code 001, table checked
4/12			future use
16/28			swimmer name. If name is not available, r "NO SWIMMER NAME" or some other ingful string
44/12		ALPHA	USS#
56/1	M1	INT reco	sequence number to order multiple splits rds for one athlete and one event
57/2	M1	INT	total number of splits for this event,

!!! SDIF VERSION 3 DOCUMENT !!!

start/ length	Mand	Туре	Description
59/4	M1	INT	split distance
63/1	M1	CODE	SPLIT Code 015, table checked
64/8		TIME	split time
72/8		TIME	split time
80/8		TIME	split time
88/8		TIME	split time
96/8		TIME	split time
104/8		TIME	split time
112/8		TIME	split time
120/8		TIME	split time
128/8		TIME	split time
136/8		TIME	split time
144/1		CODE	PRELIMS/FINALS Code 019, table checked
145/16			future use

JO -- Meet Qualifying Times Record

Purpose: Identify the qualifying times for each event of a meet.

This record is used to identify qualifying times for each event. When used, one meet qualifying times record would be submitted for each event in the meet. The first six fields are mandatory. At least one time and the age range are also required. Fields for the zone, meet and LSC codes are also provided.

start/ length	Mand	Type	Description
1/2	M1	CONST	"J0"
3/8	M1	DATE	date on which times become effective
11/1	M1	CODE	MEET Code 005, table checked
12/5			future use
17/1	M1	CODE	EVENT SEX Code 011, table checked
18/4	M1	INT	distance of event
22/1	M1	CODE	STROKE Code 012, table checked
23/8		TIME	for short course yards
31/8		TIME	for short course meters
39/8		TIME	for long course meters
47/4	M1	CODE	EVENT AGE Code 025, table checked
51/1		CODE	ZONE Code 017, table checked
52/2		CODE	REGION Code 007, table checked
54/2		CODE	LSC Code 002, table checked
56/105			future use

J1 -- National Age Group Times Record

Purpose: Identify the qualifying times for national age group records.

This record is used to identify qualifying times for national age group records. When used, one NAG qualifying times record would be submitted for each event, age group and course combination. The first seven fields are mandatory. At least one time is also required.

start/ length	Mand	Туре	Description
1/2	M1	CONST	"J1"
3/8	M1	DATE	date on which times become effective
11/1	M1	CODE	EVENT SEX Code 011, table checked
12/4	M1	INT	distance of event
16/1	M1	CODE	STROKE Code 012, table checked
17/4	M1	CODE	EVENT AGE Code 025, table checked
21/1	M1	CODE	COURSE Code 013, table checked
22/8		TIME	BB time
30/8		TIME	B time
38/8		TIME	A time
46/8		TIME	AA time
54/8		TIME	AAA time
62/8		TIME	AAAA time
70/91		future	use

J2 -- USS Motivational Times Record

Purpose: Identify the qualifying times for national age group records.

This record is used to identify qualifying times for USS motivational programs. When used, one USS motivational times record is submitted for each event. The first five fields are mandatory. When this record is used, at least one time is also required.

start/ length		Туре	Description
1/2	M1	CONST	
3/1	M1	CODE	EVENT SEX Code 011, table checked
4/4	M1	INT	distance of event
8/1	M1	CODE	STROKE Code 012, table checked
9/4	M1	CODE	COLOR Code 018, table checked
13/8		TIME	short course yards level 1
21/8		TIME	short course yards level 2
29/8		TIME	short course yards level 3
37/8		TIME	long course meters level 1
45/8		TIME	long course meters level 2
53/8		TIME	long course meters level 3
61/8	M1	DATE	date on which times become effective
69/92			future use

Z0 -- File Terminator Record

Purpose: Identify the logical end of file for a file transmission. Record statistics and swim statistics are listed for convenience.

This record is mandatory in each file. Each file ends with this record and each file has only one record of this type. The first four fields are mandatory. Additional fields provide for text and record counts.

start/ length	Mand	Type	Description
1/2	M1	CONST	"Z0"
3/1	M2	CODE	ORG Code 001, table checked
4/8			future use
12/2	M1	CODE	FILE Code 003, table checked
14/30		ALPHA	notes (additional file info)
44/3		INT	number of B records
47/3		INT	number of different meets
50/4		INT	number of C records
54/4		INT	number of different teams
58/6		INT	number of D records
64/6		INT	number of different swimmers
70/5		INT	number of E records
75/6		INT	number of F records
81/6		INT	number of G records
87/5		INT	batch number

!!! SDIF VERSION 3 DOCUMENT !!!

start/ length	Mand	Туре	Description
92/3		INT	number of new members
95/3		INT	number of renew members
98/3		INT	number of member changes
101/3		INT	number of member deletes
104/57			future use

!!! SDIF VERSION 3 DOCUMENT !!! Code Tables

ORG	Code	001 Organization code		
	1	USS	6	NCAA Div III
	2	Masters	7	YMCA
	3	NCAA	8	FINA
	4	NCAA Div I	9	High School
	5	NCAA Div II		
LSC	Code			
	AD	Adirondack	MV	Missouri Valley
	AK	Alaska	ΜW	Midwestern
	AM	Allegheny Mountain	NC	North Carolina
	AR	Arkansas	ND	North Dakota
	ΑZ	Arizona	NE	New England
	BD	Border	NI	Niagara
	CA	Southern California	NJ	New Jersey
	CC	Central California	NM	New Mexico
	CO	Colorado	NT	North Texas
	CT	Connecticut	OH	Ohio
	FG	Florida Gold Coast	ΟK	Oklahoma
	FL	Florida	OR	Oregon
	GA	Georgia	ΟZ	Ozark
	GU	Gulf	PC	Pacific
	HI	Hawaii	PN	Pacific Northwest
	IA	Iowa	PV	Potomac Valley
	ΙE	Inland Empire	SC	South Carolina
	$_{ m IL}$	Illinois	SD	South Dakota
	IN	Indiana	SE	Southeastern
	KY	Kentucky	SI	San Diego Imperial
	LA	Louisiana	SN	Sierra Nevada
	$_{ m LE}$	Lake Erie	SR	Snake River
	MA	Middle Atlantic	ST	South Texas
	MD	Maryland	UT	Utah
	ME	Maine	VA	Virginia
	MI	Michigan	WI	Wisconsin
	MN	Minnesota	WT	West Texas
	MR	Metropolitan	WV	West Virginia
	MS	Mississippi	WY	Wyoming
	MT	Montana		

FILE Code 003 File/Transmission Type code

- 01 Meet Registrations
- 02 Meet Results
- 03 OVC
- 04 National Age Group Record 05 LSC Age Group Record 06 LSC Motivational List

- 07 National Records and Rankings
- 08 Team Selection
- 09 LSC Best Times
- 10 USS Registration
- 16 Top 16
- 20 Vendor-defined code

COUNTRY Code 004 FINA Country code (effective 1993)

AFG	Afghanistan	BRN	Bahrain
AHO	Antilles Netherlands	BRU	Brunei
(Dutch West Indies)	BUL	Bulgaria
ALB	Albania	BUR	Burkina Faso
ALG	Algeria	CAF	Central African
AND	Andorra		Republic
ANG	Angola	CAN	Canada
ANT	Antigua	CAY	Cayman Islands
ARG	Argentina	CGO	People's Rep. of Congo
ARM	Armenia	CHA	Chad
ARU	Aruba	CHI	Chile
ASA	American Samoa	CHN	People's Rep. of China
AUS	Australia	CIV	Ivory Coast
AUT	Austria	CMR	Cameroon
AZE	Azerbaijan	COK	Cook Islands
BAH	Bahamas	COL	Columbia
BAN	Bangladesh	CRC	Costa Rica
BAR	Barbados	CRO	Croatia
BEL	Belgium	CUB	Cuba
BEN	Benin	CYP	Cyprus
BER	Bermuda	DEN	Denmark
BHU	Bhutan	DJI	3
BIZ	Belize	DOM	Dominican Republic
BLS	Belarus	ECU	Ecuador
BOL	Bolivia	EGY	Arab Republic of Egypt
BOT	Botswana	ESA	El Salvador
BRA	Brazil	ESP	Spain

COUNTRY Code 004 Country code (continued)

EST	Estonia	LAO	Laos
ETH	Ethiopia	LAT	
FIJ	Fiji	LBA	
FIN	Finland	LBR	Liberia
FRA	France	LES	Lesotho
GAB	Gabon	LIB	
GAD	Gambia	LIE	
0	Great Britain		
GBR		LIT	
GER	Germany	LUX	Luxembourg
GEO	Georgia	MAD	Madagascar
GEQ	Equatorial Guinea	MAS	Malaysia
GHA	Ghana	MAR	Morocco
GRE	Greece	MAW	Malawi
GRN	Grenada	MDV	Maldives
GUA	Guatemala	MEX	Mexico
GUI	Guinea	MGL	_
GUM	Guam	MLD	Moldova
GUY	Guyana	MLI	Mali
HAI	Haiti	MLT	Malta
HKG	Hong Kong	MON	Monaco
HON	Honduras	MOZ	Mozambique
HUN	Hungary	MRI	Mauritius
INA	Indonesia	MTN	Mauritania
IND	India	MYA	Union of Myanmar
IRL	Ireland	NAM	Namibia
IRI	Islamic Rep. of Iran	NCA	Nicaragua
IRQ	Iraq	NED	The Netherlands
ISL	Iceland	NEP	Nepal
ISR	Israel	NIG	Niger
ISV	Virgin Islands	NGR	Nigeria
ITA	Italy	NOR	Norway
IVB	British Virgin Islands	NZL	New Zealand
JAM	Jamaica	OMA	Oman
JOR	Jordan	PAK	Pakistan
JPN	Japan	PAN	Panama
KEN	Kenya	PAR	Paraquay
KGZ	Kyrghyzstan	PER	Peru
KOR	Korea (South)	PHI	Philippines
KSA	Saudi Arabia	PNG	Papau-New Guinea
KUW	Kuwait	POL	Poland
KZK	Kazakhstan	POL	Portugal
IVAIV	Razardiscan	FOIC	1 OI Cugai

COUNTRY Code 004 Country code (continued)

PRK	Democratic People's		SWE	Sweden
	Rep. of Korea		SWZ	Swaziland
PUR	Puerto Rico		SYR	Syria
QAT	Qatar		TAN	Tanzania
ROM	Romania		TCH	Czechoslovakia
RSA	South Africa		TGA	Tonga
RUS	Russia		THA	Thailand
RWA	Rwanda		TJK	Tadjikistan
SAM	Western Samoa		TOG	Togo
SEN	Senegal		TPE	Chinese Taipei
SEY	Seychelles		TRI	Trinidad & Tobago
SIN	Singapore		TUN	Tunisia
SLE	Sierra Leone		TUR	Turkey
SLO	Slovenia		UAE	United Arab Emirates
SMR	San Marino		UGA	Ug anda
SOL	Solomon Islands		UKR	Ukraine
SOM	Somalia		URU	Uruguay
SRI	Sri Lanka		USA	United States of
SUD	Sudan			America
SUI	Switzerland		VAN	Vanuatu
SUR	Surinam		VEN	Venezuela
		VIE	Vietr	nam
		VIN	St. V	incent and the
		(Grenad:	ines
		YEM	Yemer	1
		YUG	Yugos	slavia
		ZAI	Zaire	2
		ZAM	Zambi	la
		ZIM	Zimba	abwe

${\tt MEET}$	Code	005	Meet	Type	code		
	1	Invitati	ional			8	Seniors

_	IIIVICACIONAI	O	Seniors
2	Regional	9	Dual
3	LSC Championship	0	Time Trials
4	Zone	A	International

5 Zone Championship B Open 6 National Championship C League

7 Juniors

TEAM Code 006 LSC and Team code
Supplied from USS Headquarters files upon request.
Concatenation of two-character LSC code and four-character
Team code, in that order (e.g., Colorado's FAST would be
COFAST). The code for Unattached should always be UN, and
not any other abbreviation. (Florida Gold's unattached

would be FG UN.)

REGION Code 007 Region code

1	Region 1	8	Region 8
2	Region 2	9	Region 9
3	Region 3	A	Region 10
4	Region 4	В	Region 11
5	Region 5	С	Region 12
6	Region 6	D	Region 13
7	Region 7	E	Region 14

USS# Code 008 USS member number code

Refer to USS membership files. These will not be published.

CITIZEN Code 009 Citizenship code

2AL Dual: USA and other country

FGN Foreign

All codes in COUNTRY Code 004

SEX Code 010 Swimmer Sex code

M Male

F Female

EVENT SEX Code 011 Sex of Event code

M Male

F Female

X Mixed

STROKE Code 012 Event Stroke code

- 1 Freestyle
- 2 Backstroke
- 3 Breaststroke
- 4 Butterfly
- 5 Individual Medley
- 6 Freestyle Relay
- 7 Medley Relay

COURSE Code 013 Course/Status code

Please note that there are alternatives for the three types of pools. The alpha characters make the file more readable. Either may be used.

- 1 or S Short Course Meters
- 2 or Y Short Course Yards
- 3 or L Long Course Meters
- X Disqualified

EVENT TIME CLASS Code 014 Event Time Class code

The following characters are concatenated to form a 2-byte code for the event time class. The first character indicates the lower limit; the second character indicates the upper limit. 22 indicates B meets, 23 indicates B-A meets, and 40 indicates AA+ meets.

- U no lower limit (left character only)
- O no upper limit (right character only)
- 1 Novice times
- 2 B standard times
- P BB standard times
- 3 A standard times
- 4 AA standard times
- 5 AAA standard times
- 6 AAAA standard times
- J Junior standard times
- S Senior standard times

SPLIT Code 015 Split code

- C Cumulative splits supplied
- I Interval splits supplied

ATTACH Code 016 Attached code

- A Swimmer is attached to team
- U Swimmer is swimming unattached

ZONE Code 017 Zone code

- E Eastern Zone
- S Southern Zone
- C Central Zone
- W Western Zone

!!! SDIF VERSION 3 DOCUMENT !!!

```
COLOR Code 018 Color code
    GOLD Gold
    SILV Silver
    BRNZ Bronze
    BLUE Blue
    RED Red (note that fourth character is a space)
    WHIT White
PRELIMS/FINALS Code 019 Prelims/Finals code
      P Prelims
      F
               Finals
       S
               Swim-offs
TIME Code 020 Time explanation code
    NT No Time
    NS No Swim (or No Show)
    DNF Did Not Finish
    DQ Disqualified
    SCR Scratch
MEMBER Code 021 Membership transaction type
    R Renew
    N New
    C Change
    D Delete
SEASON Code 022
    1 Season 1
    2 Season 2
    N Year-round
ORDER Code 024 relay leg order
    0 Not on team for this swim
      First leg
    1
    2 Second leg
```

3 Third leg4 Fourth legA Alternate

EVENT AGE Code 025

first two bytes are lower age limit (digits, or "UN"
 for no limit)

last two bytes are upper age limit (digits, or "OV"
 for no limit)

if the age is only one digit, fill with a zero
 (no blanks allowed)

ETHNICITY Code 026

The first byte contains the first ethnicity selection. The second byte contains an optional second ethnicity selection.

If the first byte contains a V,W or X then the second byte must be blank.

- Q African American
- R Asian or Pacific Islander
- S Hispanic
- U Native American
- V Other
- W Decline
- X No Response

Coding Examples

The user of this interchange format has few limitations on the required records and the logical order. There are only two required records - the file description record "AO" and the file terminator record "ZO". These two records bracket a data transmission batch in a logical structure. Optional records have mandatory fields to provide essential information to understand and utilize the data supplied. Meet management applications will dominate the types of data transmissions. The format has been designed to accommodate other USS uses.

Meet Entry

Example - two teams in a dual meet. One team is the host and merges host team data with visiting team data. The visiting team provides an "A0" record, a "B1" record as a courtesy, a "B2" record as a courtesy, a "C1" record, a "C2" record, seventy-four "D0" and "D3" records for forty-eight swimmers, five "E0" records for the five relay entries, twenty-nine "F0" and "D0" records for relay swimmers and alternates, and a "Z0" record to close the file.

The host team merges a "C1" record, a "C2" record, sixty-three "D0" and "D3" records for fifty one swimmers, six "E0" records for six relay entries, thirty-five "F0" records for the relay swimmers and alternates, and a "Z0" record is shared from the visiting team submission. The diagram of the records is given below.

Visiting Team "A0" 1 record "B1" 1 dual meet "B2" 1 names host team	Host Team (shares same record) (shares same record) (shares same record)
<pre>"C1" 1 visiting team "C2" 1 visiting team</pre>	"C1" 1 host team "C2" 1 host team
"D0"- "D3" 74 visiting athl-event "E0" 5 relay entries	"D0"- "D3" 63 host athl-event "E0" 6 relay entries
"F0" 29 relay swimmers	"F0" 35 relay swimmers
"Z0" 1 record	(shares same record)

Swimmers who have not completed the 120-day waiting period are coded with UNATTACHED status on the individual record, but they may still be associated with the team. The individual event records may be in any order for that team. The relay event records may be in any order but the relay name records must follow each relay event entry.

For meets with multiple teams the file would have the records for one team together as a group, then the second team and so on until all the teams are completed. Unattached swimmers who are not associated with a team would be grouped as an "unattached team" with a team ID record that indicates that the athletes are unattached.

It is the responsibility of the participating teams to provide complete and accurate data. The minimum required fields are noted with an "M" in the mandatory column in the Format Design section of this manual. The host may require more information to conduct the meet and teams should review the meet invitations closely.

Meet results from the dual meet

- "A0" 1 record for the meet with sanction number and text
- "B1" 1 record for meet host data
- "B2" 1 record for meet host data
- "C1" 1 visiting team record
- "C2" 1 visiting team record
 - "D0" 64 records for visiting team
 - "GO" 31 records for splits from individual swims
 - "E0" 5 relay records for visiting team
 - "F0" 20 relay name records for competing swimmers
 - "GO" 4 split records for 4 swimmers on lead off
- "C1" 1 host team record
- "C2" 1 host team record
 - "D0" 61 records for host team
 - "GO" 22 records for splits from individual swims
 - "E0" 4 relay records for host team
 - "F0" 16 relay name records for host team
- "ZO" 1 terminator record for the meet.